Bold Smart Lock

Keyless access. Smart, secure, and simple. Introducing Bold: the smart Bluetooth lock that seamlessly combines security and convenience. Installed in minutes and controlled via your smartphone or personal backup PIN. No keys, no worries. Because life is already busy enough.

The Bold Smart Lock at a glance

- Perfect fit for all euro profile cylinders
- Robust and contemporary design
- Insight into all lock activities
- Share temporary access with others
- Easy DIY installation
- Highest security level with SKG*** certification
- Battery lasts over 2 years
- Digital security with two-factor authentication and end-to-end data encryption



Bold Smart Lock colours

The sturdy cylinder is made from brass and hardened stainless steel, with knobs in brushed satin chrome.



Specification **Bold Smart Lock**



mechanico	al speci	ification	IS			communicat	ion		
product des	n	Bold Smart Lock SX Euro profile cylinder			bluetooth 4.0	 The Bold Smart Lock connects wirelessly to your phone via Bluetooth. 			
modern design		The robust cylinder is made from brass and hardened stainless steel, with knobs in brushed satin chrome. Thanks to its modern design and smart mounting options, installation is straightforward.				encryption		lulti-layer, end-to-end, standards-based rotocol using TLS and AES-128-CCM encryption.	
						smart home	God	Works with smart home platforms like Homey and Google Home to enable thousands of smart automations.	
dimensions	Mc SX	odel 33	Inside Max 35 mm Max 45 mm Max 55 mm Max 65 mm Max 35 mm Max 45 mm	imm	Outside n 30 - 45 mm	marks of conformity and certification			
	SX SX SX SX SX	43 53 63 35 45		30 - 45 mm 30 - 45 mm 30 - 45 mm 50 - 65 mm 50 - 65 mm 50 - 65 mm 50 - 65 mm	SKG*** certific		With SKG*** certification, the Bold Smart Lock offers top-level security and meets the requirements of the Dutch and Belgian Politiekeurmerk Veilig Wonen.		
	SX SX	55 65	Max 55 mm Max 65 mm		lock activatio	on			
weight 375 grams							– Control via app (also works offline) – Manual unlocking with push button ('Push & Go')		
operating temperature Inside Outside +10°C to +40°C -20°C to +80°C power supply						access metho	ods	 Backup PIN with unique rotation pattern Automatic keyless entry Remote unlocking via Bold Connect Unlocking with Bold Clicker 	
battery The Bold Smart Lock uses one CR123A 3V battery (non-rechargeable), available in stores and online.					,	outdoor/indo	The Bold Smart Lock is suitable for doors with both an interior and exterior side, and not for		
battery life 2 years or 20,000 activations								" gates or doors with two exterior sides, such as garden gates.	



Features in the Bold App:

- Easily manage users: share or revoke access with a single click
- Set access schedules: permanent, weekly, or temporary
- Add backup PIN codes for emergencies
- Check battery status and adjust settings
- View the activity log (visible to administrators only)

Bold Security Technology B.V.

Leidseveer 2 3511 SB Utrecht The Netherlands





